



ENERGETIKA
ENERGETICS

Published from 2004
Ministry of Press and Information
of Azerbaijan Republic,
Registration number 3337, 07.03.2011

ISSN 1816-2126
Number 04, 2024
Section: English

ECOENERGETICS

HONORARY EDITOR IN CHIEF: Fagan G. Aliyev
SENIOR EDITOR: Rashad G. Abaszade
MANAGING EDITOR: Elmira A. Khanmamadova

INTERNATIONAL REVIEW BOARD

Arif Pashayev, Azerbaijan	Rafiq Aliyev, Azerbaijan	Turhan Vaziroglu, USA
Vagif Abbasov, Azerbaijan	Fuad Hajizadeh, Azerbaijan	Shiro Takada, Japan
Vagif Farzaliev, Azerbaijan	İsmayil Aliyev, Azerbaijan	Luca Di Palma, İtalia
Natig Cavadov, Azerbaijan	Nazim İmanov, Azerbaijan	Yuriy Tabunshikov, Russian
Khadiyya Khalilova, Azerbaijan	Ali Guliyev, Azerbaijan	Mithat Kaya, Turkey
Farhad Aliyev, Azerbaijan	Leyla Mammadova, Azerbaijan	Elvin Aliyev, UK
Sakin Cabarov, Azerbaijan	Nazim Shamilov, Azerbaijan	Emre Gür, Turkey
Adil Azizov, Azerbaijan	Salahaddin Yusifov, Azerbaijan	Volodymyr Kotsyubynsky, Ukraine
Azer Mammadov, Azerbaijan	Mazahir İsayev, Azerbaijan	Matlab Mirzayev, Russian
Nurmammad Mammadov, Azerbaijan	Yusif Aliyev, Azerbaijan	Olga Kapush, Ukraine
Akif Alizadeh, Azerbaijan	Adil Abdullayev, Azerbaijan	Aitbek Aimukhanov, Kazakhstan
Rahim Alakbarov, Azerbaijan	Alakper Hasanov, Azerbaijan	Maksym Stetsenko, Chine
Gurban Eyyubov, Azerbaijan	Sevinj Malikova, Azerbaijan	Aida Bakirova, Kyrgyzstan
Samad Yusifov, Azerbaijan	Asif Pashayev, Azerbaijan	Baktiyar Soltabayev, Kazakhstan
Ruslan Nuriyev, Azerbaijan	Latif Aliyev, Azerbaijan	Dzmitry Yakimchuk, Belarusiya
Agali Guliyev, Azerbaijan	Tamella Naibova, Azerbaijan	Akbar Haghi, Portugal
Tural Nagiyev, Azerbaijan	Oktay Salamov, Azerbaijan	Saifullah Khalid, India
Tarlan Huseynov, Azerbaijan	Ibragim Gasimoglu, Azerbaijan	Neeraj Bhoi, India
İlman Hasanov, Azerbaijan		Nitesh Dutt, India
		Anitha Velu, India
		Koushik Guha, India

TECHNICAL EDITORIAL BOARD

SENIOR SECRETARY: İmran Y. Bayramov, Afig M. Nabiyev, Karim G. Karimov, Turan A. Nahmatova, Nigar V. Abbasova, Rashid Y. Safarov, Nuranə A. Zohrabbayli, Seynura A. Hasanova, Kamila A. Cafarli.

PUBLISHING OFFICE

5, M.Rahim, AZ-1073, Baku Azerbaijan
Tel.: 99412 538-23-70,
99412 538-40-25 Fax: 99412 538-51-22

E-mail: info@ieeacademy.org
ekoenergetics@gmail.com
Internet: <http://ieeacademy.org>
www.innovationresearch.az

Contents

1. Graphene Oxide Nanofibers and Polymers Blends: Electrical Conductivity and Applications 4
E.A.Khanmamadova, R.G.Abaszade
2. Study of physico-mechanical and tribotechnical properties of polyamide-based composite materials 9
Hasanov I.I., Guliyev A.A., Sharifova A.V.
3. The role of recycling in reducing plastic Waste and its effects on the ecosystem 18
A.A.Khalilova, G.I.Guliyeva
4. Development of self-leveling concrete mix composition based on composition adhesive 20
A.A.Guvalov, Z.R.Alekperov
5. Sustainable Polymer Synthesis and Renewable Energy: Bridging Material Science and Efficiency 25
E.A.Khanmamadova, R.G.Abaszade

<https://doi.org/10.69624/Ecoenergetics.2024.4.25>

Sustainable Polymer Synthesis and Renewable Energy: Bridging Material Science and Efficiency

E.A.Khanmamadova, R.G.Abaszade
Azerbaijan State Oil and Industry University
khanman.ea@gmail.com, abaszada@gmail.com

Abstract. The effect of the composition of the adhesive composition on the physical and mechanical properties of self-compacting concrete has been determined. It has been established that even when a third mineral additive is added to the ready-made adhesive composition, the compressive strength of concrete decreases by 10-15%. Such an additive is inert in the composition of self-compacting concrete and does not participate in the hydration process of cement and does not react with portlandite. Therefore, the optimal content of mineral additives in the composition of the composite adhesive is 12-20% by mass of cement. Since the pulverized limestone and limestone added to the cement have a higher specific surface area than Portland cement, when interacting with water, the pulverized limestone reacts with the portlandite formed as a result of hydrolysis. Then, individual particles of pulverized limestone and limestone increase in volume (swell) and thereby fill the voids in the self-compacting concrete, which leads to the compaction of its structure. When increasing the amount of superplasticizers to increase the fluidity of the mixture and make it self-compacting, the process of separation of components occurs in the system. Therefore, finely dispersed additives are added as a mandatory component to self-compacting concrete. These additives interact with the portlandite formed during the hydration of cement and create additional cementitious compounds, as well as remove segregation of the mixture from the black.

Keywords: composite adhesive, self-leveling concrete, compressive strength limit, pulverizing superplasticizer, finely dispersed additive.

1. INTRODUCTION

This becomes even more critical considering the increasing demand for materials that are sustainable and could enhance energy efficiency and pave the way toward renewable energy systems. [1-7] In recent years, significant advances have been achieved in the area of sustainable polymers that are highly performing while ensuring minimum environmental impact. PEAs with bio-based monomers, such as succinic acid and D18:1, have excellent thermal stability and crystallinity, rendering them ideal candidates for high-performance engineering applications. Simultaneously, renewable energy technologies require advanced materials to optimize energy storage and improve fuel properties. Carbon nanotube integration into polymer matrices is one of the most promising ways to enhance the mechanical

and electrical properties of such materials. It is an interdisciplinary field that connects the latest knowledge in sustainable polymer synthesis with renewable energy development through improvement of material properties for various engineering applications, hence contributing to energy efficiency and emission reduction.[8-12]

The synthesis of bio-based monomers is the core of high-performance sustainable polymers. Firstly, D18:1, (Z)-octadec-9-enediyl dichloride, was prepared by a reaction between octadec-9-enediyl chloride and oxalyl chloride in a two-neck round-bottom flask fitted with a reflux condenser; under these conditions, addition of oxalyl chloride should be slow; afterward, cooling and purification are carried out.[13]

This process gives diacid chloride in high purity, something very important for subsequent polymerization.

Other synthesis that is important includes diol-diamide monomer preparation, typically named N,N'-bis-(2-hydroxyethyl)butanediamide and usually abbreviated as HEBDA. It is prepared an element required in ensuring polymerization effect.[14-21]

II.EXPERIMENTAL DETAIL

Polymerization Process

atmosphere to avoid undesirable side reactions with oxygen. The temperature of polymerization varies within the range from 140°C up to 190°C depending on the conditions of the reaction. Such temperature control can be performed to obtain polyesters with optimal properties for high-performance applications.[42]




Fig.1. The polymerization process and its mechanical properties

The resulting polyesters possess excellent mechanical properties, including high melting points and close temperature differences between crystallization and melting.(Figure 1) These are very important factors that ensure thermal stability for the polymer and enable a wide field of engineering applications, from automotive to aerospace.[30,37]

Integration of Carbon Nanotubes (CNTs)

Embedment of CNTs within the polymer matrix presents the biggest breakthrough in material science; an effort is, therefore, being made towards increasing the properties of both basic polymers for engineering applications and those used in renewable energy areas. Due to the peculiar nature of the material, CNTs show exceptional mechanical strength, electrical conductivity, and thermal stability. Thereby, CNTs have a wide range of attractiveness upon incorporation into advanced composite material applications.

Carbon nanotubes have high aspect ratios and surface areas, some of the factors that impart excellent mechanical strength. Such a structure allows CNTs to reinforce polymers with unprecedented tensile strength, stiffness, and overall durability. When CNTs are added to the polymer

through the reaction of succinic acid with ethanolamine. These provide an ideal condition for the development of the respective diol-diamide product. It constitutes the product of diol-diamide,

Polymerization of bio-based monomers, such as D18:1 with 2,2'-bis(2-oxazoline), and other comonomers are performed under a nitrogen matrix, they act like reinforcing agents in the network, strengthening the polymer. [22-29]




Fig.2. Comparison of polymer properties with and without CNTs.

This reinforcement becomes particularly important in high-performance material applications where the mechanical properties, such as load-carrying ability, resilience, and fatigue resistance, are of essence. Here, CNT-based polymers will be of great use in industries needing strong materials, such as aerospace, automotive, and construction.[31-36] Besides the mechanical reinforcement, CNTs have also been noted for their excellent electrical conductivity.(Figure 2) Adding CNTs to the polymers enhances the electrical properties of the composite, thus making it suitable for applications in energy storage devices, sensors, and conductive materials. For instance, polyesters with incorporated CNTs could be applied to develop advanced supercapacitors that store and release energy at a very fast rate. Supercapacitors are indispensable in renewable energy systems; they effectively capture energy originating from intermittent renewable sources-solar and wind-for subsequent use. CNTs improve the conductivity of the polymer matrix, which is particularly important for fast charging-discharging cycles that need to be attained in these devices for effective energy storage.(Figure 3)




Fig.3. Relevance of CNT-Reinforced polymers in Various Industries

Thermal stability is another critical feature of CNTs used to enhance the performance of polymer composites. They exhibit very high resistance to heat and, as such, are ideal in high-temperature applications, which does not cause their degradation. The addition of CNTs in a polymer enhances thermal resistance and improves the thermal conductivity of the resulting composite material, thus helping thermal management in applications belonging to renewable energy systems. For instance, CNT-reinforced polymers might find applications in heat exchangers, in the cooling of renewable energy-converting devices, or for thermal insulation at high temperatures. The resulting enhanced thermal performance contributes to maintaining the longevity and efficiency of the renewable energy installation by minimizing overheating of the technologies and keeping temperatures within optimum limits.[38-41]

The possibility of employing CNTs as reinforcing components in polymer matrices widens the circle of their use in renewable energy systems. Examples are that CNT-based polymers could be used in the development of energy-efficient components for electronic devices, including flexible electronics, energy harvesting systems, and wearable devices.(Figure 4) In automotive, CNT-infused polymers can be used to develop lightweight, durable, and energy-efficient components that would improve fuel efficiency and reduce emissions in electric and hybrid vehicles. Additional improvement of the mechanical strength and electrical conductivity develops sensors and actuators for renewable energy and creates value for these systems at higher performance.[33]

Furthermore, the incorporation of CNTs into the polymers contributes to their sustainability. Since renewable energy systems need material that is efficient, durable, and light in weight, the utilization of CNT-based enhanced polymers reduces environmental degradation due to better performance and lifetime of energy systems. Enhanced energy storage capacity and thermal efficiency using CNTs is another added advantage

for the overall efficiency in renewable energy systems, minimizing frequent replacements and hence diminishing resource utilization.[44-47]

The CNT integration in polymer matrices therefore indicates a transformation in the role of material properties toward advanced engineering applications and renewable energy technologies. It is clear that such composites would result in improved mechanical strength, electrical conductivity, and thermal stability, hence CNT-infused polymers stand to revolutionize energy storage systems, thermal management solutions, and energy-efficient components across a wide range of industries.




Fig.4. Applications of CNT-Reinforced Polymers in renewable energy

Due to the increasing demand for sustainable and high-performance materials, the integration of CNTs into polymer composites will remain one of the leading developments toward renewable energy solutions and energy-efficient technologies.

Applications in Renewable Energy Systems

These advanced polymers have impacts beyond material science into the direct advancement of renewable energy technologies. Of all, the development of sustainable polymers with integrated CNTs can improve the performance of energy storage devices such as batteries and supercapacitors. These energy storage systems are crucial to help develop renewable energy infrastructures-both solar and wind power-rely upon efficient energy storage solutions due to the intermittent nature of energy production.[43]

The use of these advanced polymers will also extend to possible uses in thermal management systems in renewable energy applications, including the development of heat exchangers or cooling systems for solar panels, wind turbines, and other renewable energy technologies for better efficiency and a longer service life.

3. CONCLUSION

The synthesis of bio-based polyesters enriched with carbon nanotubes and higher alcohol additives is a

significant development in sustainable materials for high-performance engineering and renewable energy applications. The new materials exhibit improved mechanical properties, increased thermal stability, and improved electrical conductivity suitable for different energy storage systems, fuel management, and thermal regulation devices. The integration of CNTs into the polymer matrix is expected to further enhance strength and functionality, developing more energy-efficient technologies. This research makes a significant contribution not only in the advancement of material science but also in solving very important challenges regarding renewable energy and sustainability. Further development of sustainable polymers and their applications is critical for building a greener, more energy-efficient future.


REFERENCES

1. B.Sharma, A.Singh, A.Sharma, A.Dubey, V.Gupta, R.G.Abaszade A.K.Sundramoorthy, N.Sharma, S.Arya, Synthesis and characterization of zinc selenide/graphene oxide (ZnSe/GO) nanocomposites for electrochemical detection of cadmium ions, *Applied Physics A* 130:297, 2024;
2. Khanmamedova E.A., The impact of radioactive radiation on the electrical transmission properties of graphene oxide (GO), *Cambridge, UK: v international scientific and practical conference «education and science of today: Intersectoral issues and development of sciences» August 18, pp.159-163(2023)*
3. Katsnelson, M. I., & Geim, A. K. (2008). Electron scattering on microscopic corrugations in graphene. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 366(1863), 195-204. <https://www.jstor.org/stable/i25190665>
4. N.G.Guliyev, R.G.Abaszade, E.A.Khanmamadova, E.M.Azizov, Synthesis and analysis of nanostructured graphene oxide, *Journal of Optoelectronic and Biomedical Materials*, 15(1), 23–30 2023.
5. R.G.Abaszade, O.A.Kapush, A.M.Nabiyev, Properties of carbon nanotubes doped with gadolinium, *Journal of Optoelectronic and Biomedical Materials*, 12(3), 61–65. 2020.
6. A.G.Mammadov, R.G.Abaszade, V.O.Kotsyubynsky, E.Y.Gur, I.Y.Bayramov, E.A.Khanmamadova, O.A.Kapush, Photoconductivity of carbon nanotubes, *Technical and Physical Problems of Engineering*, 14(3), 155-160 (2022).
7. Zhang, Y., Tan, Y. W., Stormer, H. L., & Kim, P. (2005). Experimental observation of the quantum Hall effect and Berry's phase in graphene. *Nature*, 438(7065), 201-204. <https://arxiv.org/abs/cond-mat/0509355>
8. R.G.Abaszade, E.M.Aliyev, A.G.Mammadov, E.A.Khanmamadova, A.A.Guliyev, F.G. Aliyev, R.I.Zapukhlyak, H.F.Budak, A.E.Kasapoglu, T.O.Margitych, A.Singh, S.Arya, E.Gür, M.O.Stetsenko, Investigation of thermal properties of gadolinium doped carbon nanotubes, *Physics and Chemistry of Solid State*, 25(1), 142-147 (2024); <https://doi.org/10.15330/pcss.25.1.142-147>
9. Peigney, A., Laurent, C., Flahaut, E., Bacsar, R. R., & Rousset, A. (2001). Specific surface area of carbon nanotubes and bundles of carbon nanotubes. *Carbon*, 39(4), 507-514. <https://www.sciencedirect.com/science/article/pii/S0959652601000514>
10. R.G. Abaszade, A.G. Mammadov, E.A. Khanmamedova, F.G. Aliyev, V.O. Kotsyubynsky, Gür E., B.D. Soltabayev, T.O. Margitych, M.O. Stetsenko, A. Singh, S. Arya, Photoconductivity of functionalized carbon nanotubes, *Digest Journal of Nanomaterials and Biostructures*, 19(2), pp.837-843, 2024
11. V.M.Boychuk, R.I.Zapukhlyak, R.G.Abaszade, V.O.Kotsyubynsky, M.A.Hodlevsky, B.I. Rachiy, L.V.Turovska, A.M.Dmytriv, S.V.Fdorchenko, Solution combustion synthesized NiFe₂O₄/reduced graphene oxide composite nanomaterials: morphology and electrical conductivity, *Physics and Chemistry of Solid State vol.23, № 2 (2022)* pp.815-824
12. R.G.Abaszade, Synthesis and analysis of flakes graphene oxide, *Journal of Optoelectronic and Biomedical Materials*, 14(3), 107–114 (2022); <https://doi.org/10.15251/JOBM.2022.143.107>
13. Kim, F., Cote, L. J., Huang, J. (2012). Graphene Oxide: Surface Activity and Two-Dimensional Assembly. *Advanced Materials*, 22(17), 1954–1958
14. R.G. Abaszade, A.G. Mammadova, E.A. Khanmammadova, İ.Y. Bayramov, R.A. Namazov Kh.M. Popal, S.Z. Melikova, R.C. Qasimov, M.A. Bayramov, N.İ. Babayeva, Electron paramagnetic resonance study of gadolinium doped graphene oxide, *Journal of Ovonic Research*, Vol.19(2), pp.259-263, 2023.
15. R.G.Abaszade, A.G.Mammadov, I.Y.Bayramov, E.A.Khanmamadova, V.O.Kotsyubynsky, O.A.Kapush, V.M.Boychuk, E.Y.Gur, Structural and electrical properties of sulfur-doped graphene oxide/graphite oxide composite, *Physics and Chemistry of Solid State vol.25, № 2 (2022)* pp.256-260
16. R.G.Abaszade, A.G.Mammadov, I.Y.Bayramov, E.A.Khanmamadova, V.O.Kotsyubynsky, E.Y.Gur, O.A.Kapush, Modeling of voltage-ampere characteristic structures on the basis of graphene oxide/sulfur

- compounds, Technical and Physical Problems of Engineering, 14(2), 302-306 (2022);
17. N.Ivanichok, P.Kolkovskiy, O.Ivanichok, V.Kotsyubynsky, V.Boychuk, B.Rachiy, M.Bembenek, Ł.Warguła, R.Abaszade, L.Ropyak, Effect of Thermal Activation on the Structure and Electrochemical Properties of Carbon Material Obtained from Walnut Shells, Materials, 17(2514), 1-21, 2024; <https://doi.org/10.3390/ma17112514>
 18. Khanmamadova EA, Abaszade RG. The Evolution of Green Mobility: A Critical Comparison of Pure Electric and Hybrid Electric Vehicles, Hybrid Electric Vehicles and Distributed Renewable Energy Conversion: Control and Vibration Analysis, 251-288, 2025.
 19. Abaszade R.G., Moradi N., Pour Kh, Khanmamadova E.A, Functionalized Carbon Nanostructures for Flexible Electronics, Handbook of Functionalized Carbon Nanostructures (Springer, Cham), 2581-2614, 2024.
 20. Shichao Zhang, Xiankai Sun, Linghao Wu, Bing Ai, Haoran Sun and Yufeng Chen, Thermal control materials of carbon/SiO₂ composites with a honeycomb structure, RSC Adv., 2024, 14, 34081
 21. E.A. Khanmamedova, Electrical conductivity properties of graphene oxide, NO. 32(151) (2023): 7TH ISPC «CURRENT ISSUES AND PROSPECTS FOR THE DEVELOPMENT OF SCIENTIFIC RESEARCH» (APRIL 19-20, 2023; ORLÉANS, FRANCE). <https://archive.interconf.center/index.php/2709-4685/article/view/3099>
 22. Khanmamedova E.A., Analysis of electrical conductivity in nanotransistor structures with graphene oxide nanofibers, V International Scientific and Practical Conference «Theoretical and empirical scientific research: concept and trends» p.-152-155, June 23, 2023; Oxford, UK. <https://archive.logos-science.com/index.php/conference-proceedings/issue/view/12/12>
 23. Khanmamedova E.A., Abaszade R. G., Safarov R.Y., Namazo R.A.-Graphene-based transistors, Ecoenergetics, №2, pp.52-57, 2023. http://ieeacademy.org/wp-content/uploads/2023/06/Ecoenergetic_-N2-2023-full.pdf
 24. Khanmamadova E.A., Diodes made from carbon nanotubes, International scientific journal «Grail of Science» [No29(July, 2023), p. 225-229. <https://archive.journal-grail.science/index.php/2710-3056/article/view/1447>
 25. R.G. Abaszade, A.G. Mammadov, V.O. Kotsyubynsky, E.Y. Gur, I.Y. Bayramov, E.A. Khanmamadova, O.A. Kapush, Photoconductivity of carbon nanotubes, International Journal on Technical and Physical Problems of Engineering, Vol.14, №3, pp.155-160, 2022. <http://www.iotpe.com/IJTPE/IJTPE-2022/IJTPE-Issue52-Vol14-No3-Sep2022/21-IJTPE-Issue52-Vol14-No3-Sep2022-pp155-160.pdf>
 26. E.A. Khanmamedova, THERMAL PROCESSING ANALYSIS OF GRAPHENE OXIDE, April 28, 2023; Seoul, South Korea: II International Scientific and Practical Conference «THEORETICAL AND PRACTICAL ASPECTS OF MODERN SCIENTIFIC RESEARCH» <https://archive.logos-science.com/index.php/conference-proceedings/article/view/714>
 27. Khanmamedova E.A., Schematic representation of the preparation of graphene oxide, Ecoenergetics, №1, pp.63-67, 2023. <http://ieeacademy.org/wp-content/uploads/2023/03/Ecoenergetics-N1-2023-1.pdf>
 28. Liu, J., Fu, S., Yuan, B., Deng, Z., & Shen, M. (2010). Facile synthesis of graphene oxide and its reduction. Journal of Materials Chemistry, 20(35), 7491-7496. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6628170/>
 29. Guston, D.H., (2014). Understanding 'anticipatory governance. Soc. Stud. Sci. 44 (2), 218–242.
 30. E.A. Khanmamedova, Mathematical model analysis of graphene oxide thermal development, no. 26 (2023): i cisp conference «Scientific vector of various sphere' development: reality and future trends» <https://archive.journal-grail.science/index.php/2710-3056/article/view/1145>
 31. Avouris, P. (2010). Graphene: Electronic and Photonic Properties and Devices. Nano Letters, 10(11), 4285–4294. <https://pubs.acs.org/doi/abs/10.1021/nl102824h>
 32. E.A. Khanmamedova, X-ray analysis of graphene based materials, Proceedings of the 7th International Scientific and Practical Conference «Current Issues and Prospects for The Development of Scientific Research» (April 19-20, 2023). Orléans, France <https://archive.interconf.center/index.php/2709-4685/article/view/3100>
 33. Ju, L., Geng, B., Horng, J., Girit, C., Martin, M., Hao, Z., Bechtel, H. A., Liang, X., Zettl, A., Shen, Y. R., & Wang, F. (2011). Graphene plasmonics for tunable terahertz metamaterials. Nature nanotechnology, 6(10), 630-634. <https://pubmed.ncbi.nlm.nih.gov/21892164/>
 34. Khanmamedova E.A., X-ray analysis of graphene based materials, 9th International Scientific and Practical Conference «Theory and

practice of science: key aspects» February 19-20, 2024 Rome, Italy pp.599-603, <https://archive.interconf.center/index.php/2709-4685/article/view/3100>

35. Abaszade, R. G.; Mammadov, A. G.; Khanmamedova, E. A.; Aliyev, F. G.; Kotsyubynsky, V. O.; Gür, E.; Soltabayev, B. D.; Margitich, T. O.; Stetsenko, M. O.; Singh, A.; Arya, S. Photoconductivity of functionalized carbon nanotubes, Digest Journal of Nanomaterials & Biostructures (DJNB), 2024, Vol 19, Issue 2, p837, 2024. https://openurl.ebsco.com/EPDB%3Agcd%3A4%3A22925460/detailv2?sid=ebsco%3Aplink%3Ascholar&id=ebsco%3Agcd%3A178220998&crl=c&link_origin=scholar.google.com
36. Grunwald, A. (2017). Assigning meaning to NEST by technology futures: extended responsibility of technology assessment in RRI. Journal of Responsible Innovation 4 (2).
37. Robert, J.S., Miller, C.A., Milleson, V. (2013). Introduction: ethics and anticipatory governance of nano-neurotechnological convergence. In: Hays, S.A., Robert, J.S., Miller, C.A., Bennett, I. (Eds.), Nanotechnology, the Brain, and the Future. Yearbook of Nanotechnology in Society, 3
38. Toogood, H.S., Cheallaigh, A.N., Tait, S., Mansell, D.J., Jervis, A., Lygidakis, A. (2015). Enzymatic menthol production: one-pot approach using engineered Escherichia coli. ACS Synth. Biol. 4 (10), 1112–1123.



ECO

ENERGETIKA
ENERGETICS